

Two-hole mixer with individual rosettes

32 800 790



- 235 mm projection
 - pivotable spout 360°
 - spout, end-piece with 20° rotation
 - air-enriched flow
 - height of mixer 337 mm
 - height up to aerator 297 mm
 - individual rosettes Ø 55mm
 - hole diameter spout 35 mm
 - single-lever mixer hole diameter 35 mm
 - max. flow 8 l/min at 3 bar flow pressure
 - lead-free
 - This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Operating unit can be positioned freely.

| | | |
|---|--------------------------------|---------------|
|  | Brushed Durabronze (23kt Gold) | 32 800 790-28 |
|  | Chrome | 32 800 790-00 |
|  | Brushed Platinum | 32 800 790-06 |
|  | Platinum | 32 800 790-08 |
|  | Dark Chrome | 32 800 790-19 |
|  | Brushed Champagne (22kt Gold) | 32 800 790-46 |
|  | Champagne (22kt Gold) | 32 800 790-47 |
|  | Brushed Chrome | 32 800 790-93 |
|  | Brushed Dark Platinum | 32 800 790-99 |

Recommended miscellaneous

Strainer waste with control handle 10 710 970-28



Recommended miscellaneous

Dispenser with rosette 82 444 970-28



Two-hole mixer with individual rosettes

32 800 790

Parts for other finishes can be found here: [Chrome](#)

