








## Wall-mounted single-lever basin mixer without pop-up waste

36 860 660



- 190 mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Matte Black	36 860 660-33
	Chrome	36 860 660-00
	Brushed Platinum	36 860 660-06
	Dark Chrome	36 860 660-19
	Brushed Champagne (22kt Gold)	36 860 660-46
	Champagne (22kt Gold)	36 860 660-47
	Brushed Chrome	36 860 660-93

### Required miscellaneous



- Concealed wall-mounted single-lever mixer on right** 35 816 970 90
- NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

### Required miscellaneous




- Concealed wall-mounted single-lever mixer** 35 860 970 90
- min. recess depth 80 mm
  - max. recess depth 95 mm



## Wall-mounted single-lever basin mixer without pop-up waste

36 860 660

mm [inches]




### Flow rate chart



Wall-mounted single-lever basin mixer without pop-up waste

36 860 660




Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 072 10 90	nipple	1	2
2	90 24 03 280 00 90	nipple	1	2
3	09 31 11 112 90	pin	1	60
4	90 28 22 323 00-33	spout	1	30
5	90 20 66 007 00-33	handle	1	30
6	09 11 02 288-33	cover	1	30
7	90 27 62 011 00-33	rosette	1	30
8	90 15 05 064 01 90	cartridge	1	2
9	09 30 09 064 90	key	1	2

**Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above**

---

#Error



- Dimensions 300 x 300 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

**Required miscellaneous**

**Extension 20 mm**

12 869 970 90



**Required miscellaneous**

**Extension 20 mm**


12 870 970 90



**Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above**


#Error

mm [inches]



## Concealed wall-mounted single-lever mixer

#Error



- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet for wall spout
- 1x female thread 1/2" outlet
- 2x dust cover
- anti-water packing
- soundproofing
- gauge 100 mm

### Required miscellaneous



**Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above** 39 807 970 90

- Overflow is part of the scope of delivery.

### Recommended miscellaneous



**Extension 20 mm** 12 869 970 90

- Can only be combined with exposed trim parts 36 86X SSS-FF.

### Recommended miscellaneous



**Extension 20 mm** 12 870 970 90

- Can only be combined with exposed trim parts 36 86X 664-FF.

### Recommended miscellaneous




**Adapter for reversed water connections** 12 880 970 90


- Not suitable for combining with META PURE (36 86X 664-FF).

## Concealed wall-mounted single-lever mixer

#Error




### Flow rate chart



## Concealed wall-mounted single-lever mixer

#Error



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 31 20 006 00 90	plug	1	2
2	09 21 02 173 90	cap	1	2
3	90 23 01 091 00 90	set	3	2
4	90 31 20 107 00 90	plug	1	2
5	90 17 01 238 00 90	sleeve	1	2
6	90 24 04 349 00 90	threaded connector	1	2
7	09 21 02 176 90	cap	1	60
8	04 14 03 074 00 90	gasket kit	1	60